

Adagio

Desire to Design

DESIRE TO DESIGN



Adagio

Desire to Design



Brown



Dark



Grey



White



Platin



Champagne



Mist



Copper

Adagio

Desire to Design



Moonlight on Grizzly



Slate on Alpine



Daybreak on Gold



Summerdrops on Montana

Technical Data

Abrasion Resistance	IP>150 A>350	EN 438-2.10
Resistance to Dry Heat	180 degrees C >4	EN 438-2.16
Scratch Resistance	Force >3	EN 438-2.25
Stain Resistance	>4	EN 438-2.26
Color Fastness to Light	Greyscale >4	EN 438-2.27
Resistance to Cigarette Burns	Degrees and look >3	EN 438-2.30
Resistance to Water Vapor	Standard finish look >4	EN 438-2.14



Russell Plywood Inc.

Your Source from Start to Finish

1-800-373-1004

Thermo—Structured Surfaces showcasing Contemporary European flare.

Multiple selections of textures and patterns available from our stock

Available in nominal 3/4" panels and 22mm panels with matching banding and laminate.



Adagio decor surfaces are very hygienic and easy to clean.

All domestic cleaning agents can be used for cleaning Adagio surfaces. Do not use scouring agents. For daily care it is only necessary to clean Adagio surfaces with a damp cloth. Handle in the same way as conventional wooden boards. Sanding, sealing or polishing the surface is not necessary because of the special surface. Stubborn stains such as paint, adhesive, nail polish or oil can be cleaned off with acetone, vinegar concentrate, nail polish remover and universal thinner. In either case please use those agents sparingly, carefully and only in polluted areas. Those agents must not stay on the surface for any length of time. Cutting with knives directly on Adagio surfaces will lead to scratches on the surface. Always use a kind of underlay or protective mat. Wipe off moisture around seams.